Uses advised against

SAFETY DATA SHEET

Users are recommended to seek further advice.

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier **EPO-TEK TJ1183-LH** GHS Product Identifier **EPO-TEK TJ1183-LH** Chemical Name Not applicable

EPO-TEK TJ1183-LH Trade name

CAS No. Mixture EINECS No. Mixture REACH Registration No. Not available

1.2 Relevant identified uses of the substance or mixture and uses advised against Identified use(s) Users are recommended to seek further advice

1.3 Details of the supplier of the safety data sheet

> Company Identification **Epoxy Technology, Inc.**

Address 14 Fortune Drive, Billerica MA 01821 USA

Telephone (978) 667-3805 E-Mail (competent person) techserv@epotek.com **Emergency telephone number – ChemTel Inc.**

Emergency Phone No. (800) 255-3924, (813) 248-0585

SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture

2.1.1 Regulation (EC) No. 1272/2008 (CLP) - Skin Irritation 2, Eye Irritation 2A, Skin Sensitizer 1 (3.2/2, 3.3/2A,

2.1.2 Directive 67/548/EEC & Directive 1999/45/EC - HARMFUL

2.2 Label elements

1.4

2.2.1

Label elements According to Regulation (EC) No. 1272/2008 (CLP)

GHS Product Identifier (EU)

Signal word(s) WARNING Hazard

pictogram(s)

Hazard Symbol

Hazard H315: Causes skin irritation.

H317: May cause an allergic skin reaction. statement(s)

H319: Causes serious eye irritation.

H411:Toxic to aquatic life with long lasting effects.

EUH205: Contains epoxy constituents. See information supplied by the manufacturer.

P264: Wash (hands and exposed skin) thoroughly after handling. Precautionary

P280: Wear protective gloves/protective clothing/eye protection/face protection. statement(s)

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

P305: IF IN EYES: Get immediate medical attention.

P312: Call a POISON CENTER or doctor if you feel unwell.

P333 + P313: If skin irritation or rash occurs: Get medical advice/attention.

2.2.2 Label elements According to Directive 67/548/EEC & Directive 1999/45/EC

> Risk Phrases R36/38: Irritating to eyes and skin.

R43: May cause sensitization by skin contact.

R51/53: Toxic to aquatic organisms; may cause long-term adverse effects in the aquatic

environment.

Safety Phrases S24/25: Avoid contact with skin and eyes.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek

medical advice.

S28: After contact with skin, wash immediately with plenty of soap and water.

S36/39: Wear suitable protective clothing and eye/face protection.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show the

label where possible).

2.3 Other hazards Classification (USA): Hazardous under OSHA Hazard

Communication Standard -Irritant (Eyes/Skin), Sensitizer

HMIS: Health-2, Flammability-1 Reactivity - 0

WHMIS Classification (Canada): Hazardous under WHMIS Class D2B- Material With Other Toxic Effects. Eye/skin

irritant, Skin sensitizer.





Date: 11 October 2013

Page: 1/7 Expiration Date: 11 October 2015

MATERIAL SAFETY DATA SHEET EPO-TEK TJ1183-LH

Date: 11 October 2013

2.4 Additional Information None

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

EC Classification No. 1272/2008/EC

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard _I	pictogram(s) and Hazard statement(s)
1,4-Butanediol Diglycidyl Ether	<5	2425-79-8	219-371-7	NA	()	3.1/4, 3.2/2, 3.4/1, 3.3/2A; H312, H315, H317, H319, H332, EUH205
Epoxy Phenol Novolac	40-60	9003-36-5	500-006-8	NA	!	3.2/2, 3.4/1, 3.3/2A, 4.1/2; H315, H317, H319, H411, EUH205

EC Classification No. 67/548/EEC

Hazardous ingredient(s)	%W/W	CAS No.	EC No.	REACH Registration No.	Hazard pictogram(s) and Risk (R) Phras(es)	
1,4-Butanediol Diglycidyl Ether	<5	2425-79-8	219-371-7	NA	×	Xn, R20/21, R36/38, R43
Epoxy Phenol Novolac	40-60	9003-36-5	500-006-8	NA	* *	Xn, Xi, N, R36/38, R43, R51/53

3.3 Additional Information

- For full text of H phrases see section 16. For full text of R phrases see section 16. Non-Hazardous ingredients are not listed and make up the balance of the product.

SECTION 4: FIRST AID MEASURES

4.1 Description of first aid measures

Inhalation Remove patient from exposure. Keep patient at rest and give oxygen if breathing difficult. If

symptoms develop, obtain medical attention.

Skin Contact Remove contaminated clothing immediately and drench affected skin with plenty of water,

then wash with soap and water. If irritation (redness, rash, blistering) develops, get medical

attention.

Eye Contact Remove any contact lenses. Irrigate with eyewash solution or clean water, holding the

eyelids apart, for at least 15 minutes. Obtain immediate medical attention.

Ingestion Ingestion may cause irritation of the gastrointestinal tract. If swallowed, seek medical advice

immediately and show this container or label. Do not induce vomiting. Make victim drink

plenty of water. Get immediate medical attention.

4.2 Most important symptoms and effects, both acute and

delayed

Acute: Causes serious eye irritation. Causes skin irritation. Ingestion may cause irritation of the gastrointestinal tract. May cause sensitization

by skin contact.

Delayed and chronic effects: Discolors skin and mucous membranes.

4.3 Indication of the immediate medical attention and special

treatment needed

Treat symptomatically.

SECTION 5: FIRE-FIGHTING MEASURES

Combustible but not readily ignited. Acrid smoke. Flash Point > 93.3°C / 200°F.

5.1 Extinguishing media

Suitable Extinguishing Media Unsuitable Extinguishing Media

Extinguish preferably with dry chemical, foam or water spray. None known.

5.2 Special hazards arising from the substance or mixture

A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions. Inhalation of fumes from fire may

Page: 2/7 Expiration Date: 11 October 2015



MATERIAL SAFETY DATA SHEET Date: 11 October 2013 EPO-TEK TJ1183-LH

result in chronic health effects.

5.3 Advice for fire-fighters Extinguish preferably with dry chemical, foam or water spray. Launder

contaminated protective devices.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Ensure full personal protection (including respiratory protection) during

removal of spillages. Evacuate if necessary.

6.2 Environmental Precautions Ventilation recommended.

6.3 Methods and material for containment and cleaning up

Transfer to a lidded container for disposal or recovery. Re-

use/recycling of waste highly recommended.

6.4 Reference to other sections See Also Section 7, 8, 13.

6.5 Additional Information None

SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling

Avoid ingestion. Use only in well-ventilated areas. Avoid inhalation of high concentrations of vapors. Keep away from oxidizing agents. Keep away from

fire, sparks and heated surfaces - no smoking.

7.2 Conditions for safe storage, including any

Protect from sunlight. Store in a well-ventilated place. Do not use or store near

heat or open flame. Do not store and transport with oxidizers etc.

incompatibilities
Storage Temperature

Ambient.

Storage Life Not available Incompatible materials Oxidizing agents.

Oxidizing agents. Can react violently if in contact with acids, alkalis, reducing

agents and heavy metals.

7.3 Specific end use(s) Consult the supplier.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1 Control parameters

8.1.1 Occupational Exposure Limits

SUBSTANCE.	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m³)	STEL (ppm)	STEL (mg/m³)	Note:
No occupational exposure limits have been established for this product or any listed components.						

OELs are not available for non-listed components.

8.1.2 Biological limit value

Limit value type (country of origin)	SUBSTANCE.	CAS No.	Biological limit value	Note:
USA	None	None	None	None

8.1.3 PNECs and DNELs

DNEL	Oral	Inhalation	Dermal
Industry - Long Term – Local effects	NA	NA	NA
Industry - Long Term - Systemic effects	NA	NA	NA
Industry - Short term - Local effects	NA	NA	NA
Industry - Short term - Systemic effects	NA	NA	NA
Professional - Long Term - Local effects	NA	NA	NA
Professional - Long Term – Systemic effects	NA	NA	NA
Professional - Short term - Local effects	NA	NA	NA
Professional - Short term - Systemic effects	NA	NA	NA
Consumer - Long Term - Local effects	NA	NA	NA
Consumer - Long Term - Systemic effects	NA	NA	NA
Consumer - Short term - Local effects	NA	NA	NA
Consumer - Short term - Systemic effects	NA	NA	NA



Page: 3/7 Expiration Date: 11 October 2015

Revision: 11.02CLP

MATERIAL SAFETY DATA SHEET **FPO-TFK T.I1183-I H**

El G TER TOTTOS EN				
	PNEC			
Aquatic Compartment	Not available			
Terrestrial Compartment	Not available			
Atmospheric Compartment	Not available			

Date: 11 October 2013

8.2.2 Personal protection equipment

	Respirators	Wear suitable respiratory protective equipment if exposure to levels above the occupational exposure limit is likely.
	Eye Protection	Safety glasses.
	Gloves	Wear protective gloves.
THE STATE OF THE S	Body protection	Wear suitable protective clothing and gloves.
	Engineering Controls	Use adequate ventilation and/or engineering controls in high temperature processing to prevent exposure to vapors.
	Other	Remove contaminated, saturated clothing immediately. Contaminated clothing should be thoroughly cleaned.

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties

Appearance Tan paste Color Tan Odor Mild / Slight Odor Threshold (ppm) Not available Melting Point (°C) / Not available Boiling point/boiling range (°C): Not available Freezing Point (°C) Flash Point (°C) > 200°F / 93°C Explosive limit ranges Not available Auto Ignition Not available Decomposition Temperature (°C) Not available Temperature (°C) Explosive properties Not available Oxidizing properties Not available Flammability (solid, gas) Not available pH (Value) Not available Evaporation rate <Butyl Acetate Vapor Pressure (mm Hg) Not available Not available Vapor Density (Air=1) Not available Density (g/ml) Solubility (Water) Practically insoluble. Solubility (Other) Not available Partition Coefficient (n-Not available Viscosity (mPa.s) Paste Octanol/water)

9.2 Other information Volatile Organic Chemical (VOC) Content – Not available.

SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity Contains epoxy constituents. See information supplied by the

manufacturer. May react with incompatible materials.

10.2 Chemical stability Stable under normal conditions.

10.3 Possibility of hazardous reactions Can react violently if in contact with - Oxidizing agents. Can react

violently if in contact with acids, alkalis, reducing agents and

heavy metals.

10.4 Conditions to avoid Avoid contact with heat and ignition sources.

10.5 Incompatible materials Bleaching products and comparable oxidisers. Can react violently

if in contact with acids, alkalis, reducing agents and heavy metals.

10.6 **Hazardous Decomposition** Carbon monoxide, Carbon dioxide, Nitrogen oxides. Thermal

Product(s) decomposition will evolve toxic, irritant and flammable vapors.

Page: 4/7 Expiration Date: 11 October 2015



Revision: 11.02CLP

MATERIAL SAFETY DATA SHEET

Date: 11 October 2013

EPO-TEK TJ1183-LH

SECTION 11: TOXICOLOGICAL INFORMATION

SUBSTANCE	CAS No.	LD ₅₀ (Oral, Rat)	LC₅₀ (Inhalation, Rat)	LD ₅₀ (Dermal, Rat)
1,4-Butanediol Diglycidyl Ether	2425-79-8	Not established	>2000mg/kg<5000mg/kg	Not established
Epoxy Phenol Novolac	9003-36-5	5000mg/kg	Not established	3000mg/kg Rabbit

11.1 Information on toxicological effects

11.1.2 **Mixtures**

> Harmful in contact with skin and if swallowed. Acute toxicity

Irritation Causes irritation to eyes and skin. May cause sensitization by skin

contact.

Corrosivity Slight

Repeated dose toxicity Expected to be similar to single exposures.

Carcinogenicity No data. Mutagenicity No data. Toxicity for reproduction No data.

11.2 Other information None

SECTION 12: ECOLOGICAL INFORMATION

12.1 **Toxicity** No data.

Persistence and degradability 12.2 Moderately/partially biodegradable. Not persistent.

12.3 Bioaccumulative potential Indication of bioaccumulation. Moderately/partially biodegradable.

Mobility in soil The product has high mobility in soil. 12.4

12.5 Results of PBT and vPvB

assessment

No data.

12.6 Other adverse effects No data.

SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment Disposal should be in accordance with local, state or national legislation. methods Containers must not be punctured or destroyed by burning, even when empty.

13.2 **Additional Information** None

SECTION 14: TRANSPORT INFORMATION

Land transport (ADR/RID) (b)(c)(d)	DOT Classification (USA) (c)(d)			
UN number	UN3082	UN number	None		
	Environmentally				
Proper Shipping Name	Hazardous Substance,	Proper Shipping Name	ing Name		
	Liquid, n.o.s.		None		
Transport hazard class(es)	9	Transport hazard class(es)	None		
Packing Group	III	Packing Group	None		
Hazard label(s)	Miscellaneous	Hazard label(s)	None		
Environmental hazards	Marine Pollutant	Environmental hazards	None		
Special precautions for user	None	Special precautions for user	None		
Sea transport (IMDG) (c)(d)		Air transport (ICAO/IATA)	(b)(c)(d)		
UN number	UN3082	UN number	UN3082		
	Environmentally				
Proper Shipping Name	Hazardous Substance,	Proper Shipping Name	Environmentally Hazardous		
	Liquid, n.o.s.		Substance, Liquid, n.o.s.		
Transport hazard class(es)	9	Transport hazard class(es)	9		
Packing Group	III	Packing Group	III		
Marine Pollutant	Yes	Environmental hazards	Marine Pollutant		
Special precautions for user	None	Special precautions for user	None		

- (b)- Full proper shipping name: Environmentally Hazardous Substance, Liquid, n.o.s. (Epoxy Phenol Novolac)
- (c)- Consult with transport provider.
- (d)- Check relevant regulations for Special Provisions.

Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code



Page: 5/7 Expiration Date: 11 October 2015

MATERIAL SAFETY DATA SHEET EPO-TEK TJ1183-LH

Date: 11 October 2013

SECTION 15: REGULATORY INFORMATION

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1 EU regulations

Authorisations and/or restrictions on use Consult the supplier.

European Union (EINECS/ELINCS)

All components listed or polymer exempt.

German WGK number

15.1.2 National regulations

USA

TSCA (Toxic Substance Control Act)

SARA 311/312 - Hazard Categories

SARA 302 - Extremely Hazardous Substances

SARA 313 - Toxic Chemicals

CERCLA (Comprehensive Environmental Response

Acute Health

Listed. - None

Listed. - None

Listed. - None

Compensation and Liability Act)

CAA (Clean Air Act 1990) Listed. – None CWA (Clean Water Act) Listed. - None

State Right to Know Lists

Listed. –CA, FL, MA, MN, NJ, PA, and RI.

Proposition 65 (California) - WARNING: This product contains chemical(s) known to the state of

California to cause cancer and/or reproductive harm.

Canada

WHMIS Classification Class D2B – Material Causing Other Toxic Effects

Canada (DSL/NDSL) Listed. – DSL Canada Ingredient Disclosure List (CIDL) Listed. – None

15.2 Chemical Safety Assessment Irritant (Eye, Skin), Skin Sensitizer

15.3 Label elements (EU)



Label as Harmful/Irritant under 1999/45/EEC, 1907/2006/EC, and 1272/2008/EC. See Section 2 for full label requirements.

SECTION 16: OTHER INFORMATION

The following sections contain revisions or new statements: 1-16.

LEGEND

ACGIH	American Conference of Governmental Industrial Hygienists	NA	not applicable, not available
AICS	Australian Inventory of Chemical Substances	NIOSH	National Institute for Occupational Safety and Health
ANSI	American National Standards Institute	ND	not determined
atm	atmosphere (pressure unit)	NFPA	National Fire Prevention Association
BOD	biological oxygen demand	NTP	National Toxicology Program
CAS	Chemical Abstracts Service	OC	open cup
CC	closed cup	OSHA	Occupational Safety and Health Administration
CDTA	Chemical Drug and Trafficking Act	Part	partition
COC	Cleveland Open Cup	PEL	permissible exposure limits
COD	chemical oxygen demand	ppb	parts per billion
coeff.	coefficient	PPE	personal protective equipment
CFR	Code of Federal Regulations	ppm	parts per million
CPR	cardio-pulmonary resuscitation	psi	pounds per square inch



Page: 6/7 Expiration Date: 11 October 2015

Revision: 11.02CLP

MATERIAL SAFETY DATA SHEET Date: 11 October 2013 EPO-TEK TJ1183-LH

Workplace Exposure Standard (New Zealand)

DEA **Drug Enforcement Agency RCRA** Resource Conservation and Recovery Act DOT Department of Transportation RQ Reportable quantity DSCL Dangerous Substances Classification and Labeling RTK Right to Know **EEC European Economic Community** SARA Superfund Amendments and Reauthorization Act FDA Food and Drug Administration STFL short-term exposure limit **HMIS** SUSDP Hazardous Materials Information System Standard for the Uniform Scheduling of Drugs and Poisons (Australia) IARC TCC International Agency for Research on Cancer Tagliabue Closed Cup **IDLH** immediate danger to life or health TDG Transportation of Dangerous Goods threshold planning quantity kilogram TPQ kg L liter TQ threshold quantity LC50 median lethal concentration **TSCA** Toxic Substances Control Act LD50 median lethal dose TWA time-weighted average LEL lower explosive limit UFI upper explosive limit

mL milliliter WHMIS Workplace Hazardous Material Information System

References: RTECS, CAS Registry, EINECS/ESIS, Casarett & Doull's Toxicology, Goldfranks's

WES

Risk Phrases and Safety Phrases

milligram

ma

R20/21: Harmful by inhalation and in contact with skin.

Toxicological Emergencies, Manufacturer Information

R36/38: Irritating to eyes and skin.

R43: May cause sensitization by skin contact.

R51/53: Toxic to aquatic organisms; may cause long-term adverse effects in the aquatic environment.

S24/25: Avoid contact with skin and eyes.

S26: In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

S28: After contact with skin, wash immediately with plenty of soap and water.

S36/39: Wear suitable protective clothing and eye/face protection.

S45: In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

Hazard statement(s) and Precautionary statement(s)

H312: Harmful in contact with skin.

H315: Causes skin irritation.

H317: May cause an allergic skin reaction.

H319: Causes serious eye irritation.

H332: Harmful if inhaled.

H411: Toxic to aquatic life with long lasting effects.

EUH205: Contains epoxy constituents. See information supplied by the manufacturer.

P264: Wash (hands and exposed skin) thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P305 + P351 + P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P305: IF IN EYES: Get immediate medical attention.

P312: Call a POISON CENTER or doctor if you feel unwell.

P333 + P313: If skin irritation or rash occurs: Get medical advice/attention...

Training advice: None Additional Information: None

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Epoxy Technology, Inc. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Epoxy Technology, Inc. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.

EPOXY

Page: 7/7 Expiration Date: 11 October 2015